




TD20 Tilt-Deck Utility Trailer w/ Pinless, Auto Locking Powerlock™ III Deck Securement



LOWEST TOTAL COST OF OWNERSHIP (TCO) FROM:

- Pinless, Auto Locking Powerlock III™ Deck Securement w/ No Loose Pins or Difficult Latch Mechanisms
- Gravity Tilt for Low Maintenance
- Ultimate Ease-of-Use and Safety for the Operator w/ our Auto Locking Design
- **PRACTICAL:** No Expensive, Unnecessary Components, yet we Don't Cut Corners and Provide Premium, Heavy Duty Equipment.

BUILT FOR SAFETY. BUILT FOR SPEED. BUILT TO LAST.

CAPACITIES: 25,990 lbs. GVWR @ 10% Tongue Weight

AXLES: Triple 8K Sprung Axles

WHEELS: (6) 17.5 x 6.75 HC / 8 on 6.5 BC / 0.19 Inset

TIRES: (6) 215/75R17.5 LR-H Tires

BRAKES: 12.25" x 3.38" Electric w/ Safety Breakaway Kit

PAYLOAD - ALL FINAL PAYLOADS BASED ON CHOSEN MODEL AND OPTIONS

PAYLOAD: 20,000 lbs. Approx.

ALL FINAL LENGTHS, WIDTHS, AND WEIGHTS ARE BASED ON CHOSEN MODEL AND OPTIONS

OVERALL LENGTH: 311.12" Approx.

WIDTH: 101.00" Approx.

CURB WEIGHT: 5,990 lbs. Approx.

STANDARD FEATURES

- Oil Bath Hubs (Greaseable Option All)
- Electric Brakes

STANDARD TRAILER BODY

- Heavy Duty 8" X 2" X ¼" Frame
- 8-Position Adjustable Hitch
- ½" X 36" GR70 Yellow Zinc Safety Chains with Hooks
- 12,000 lbs. Static Front Jack w/ Spring Return
- Ground Lug: Copper Alloy Star Washer Bolted to Frame (Welded Optional)
- Fenders: ⅛" Fabricated Diamond Plate

WIRING

- DOT / ICC-- FMVSS / CMVSS Approved LED ULTRA- HIGH VISIBILITY 180 DEGREE BULLET Marker and Clearance Lights
- LED Sealed Beam Rubber Mounted Stop, Turn, Tail and Marker Lights
- Breakaway Kit with Absorbed Glass Mat (AGM) Battery
- 100% Sealed Heat-Shrunked Wiring Connections w/ Full Loom
- FULLY PROTECTED 7 or 6 Way Female Plug acts as Junction Box Recessed in FRAME RAIL.
No Easily Damaged Plastic Junction Boxes

OPTIONS

- Ten (10) Year Galvanized Structural Warranty (2-Year Painted)
- 16" Long 6-Bolt Hitch Extension (w/ 52" Safety Chains and Breakaway Cable Extension)
- Aluminum or Steel Toolbox
- Hydraulic Front Jack
- Wiring Connections Soldered and Sealed w/ Heat Shrink Tubing
- Plug-and-Play Sealco Wiring Harness
- Wheel Chocks: Rubber or All Weather Galvanized Grip Strut
- Solar Charged Breakaway Kit
- Strobe Warning Lights
- All Stainless Steel Fasteners (½" and under)
- Truck-Lite Lighting
- Lug Nut Indicators
- 3" Lunette Eye

